

Epoca Knit | WT - Woven textile



Productdescription



Epoca Knit | WT - Woven textile



Productdescription

DESCRIPTION	METHOD	DATA
CONSTRUCTION CHARACTERISTICS		
STRUCTURE	ISO 2424	Woven loop pile
PILE MATERIAL	DIR 96/73, 96/74	100% polyamide
COLORATION	-	Continuous dyed
BACKING	ETL	WT - Woven textile
DIMENSIONS	ISO 3018	Approx. 400 cm
TOTAL THICKNESS	ISO 1765	Apr 4,0 mm.
	-	0,16"
TOTAL CARPET WEIGHT	ISO 8543	Apr 2.100 g/m2
	-	62 oz./yd2
PILE YARN WEIGHT	ETL	560 g/m2
	-	16.52 oz./yd2
PERFORMANCE CHARACTERISTICS		
PERFORMANCE AREAS	EN 1307	Class 33 - Commercial - Heavy
GUARANTEE	ETL	Contract certificate
CASTOR CHAIR SUITABILITY	EN 985	Intensive use
SUITABILITY FOR USE ON STAIRS	EN 1963	Yes
STATIC CONTROL	ETL	Permanently antistatic
BODY WALKING TEST	ISO 6356	Antistatic
ACOU.INSU. FROM IMPACT NOICE	ETL	16 dB
ACOUSTICAL ABSORPTION	ETL	0,15 aW
SUITABILITY UNDERFLOORHEATING	ETL	Apr 0,07 m2K/W
LIGHT REFLECTANCE	ETL	Testreport
COLOUR FASTNESS TO LIGHT	ISO 105-B02	>5
	AATCC 16	5.0
COLOUR FASTNESS TO RUBBING WET	ISO 105-X12	>3
	AATCC 165	5.0
COLOUR FASTNESS TO RUBBING DRY	ISO 105-X12	>3-4
	AATCC 165	5.0
COLOUR FASTNESS TO WATER PLAIN	ISO 105-E01	>3-4
CLEANING	AATCC 138	4.0
COLOUR FAST.OXIDES OF NITROGEN	AATCC 164	5.0
OTHER PERFORMANCE TESTS	ASTM D5252 Hexapod	4.5/4.5
	-	Commercial - Heavy
	AATCC 134 Electrostatic propensity	1.8 kV
SAFETY & ENVIRONMENT		
FIRE CLASSIFICATION	VKF/AEAI	Approved
	ASTM E-648	Class 1
	ASTM E662 Smoke Density	<450
	ASTM D2859 Surface Flamm.	Pass

Productdescription

DESCRIPTION	METHOD	DATA
CE LABELING	EN 13501-1 Euroclass	Cfl-s1
	EN 14041	Certified
	CPR	1021-CPR-006-2/16
	Declaration of Performance	DOP 1C-PA-WT
	Notified body no.	1021
	Ce Year	14
	Content of PCP	DL
	Formaldehyde emission	NA
	Slip resistance	Class DS
	INDOOR CLIMATE	Green Label Plus
Indoor Air Comfort Gold		Group 14
ABG		ABG-28-02-14-01-2018
ENVIRONMENT	Byggsvarudeklaration	With WTA Backing
	BASTA	Registered
	Byggsvarubedömningen ID	45929 (WTA)
	SundaHus score	B (WTA)
	BREEAM-NOR	With WTA Backing
	Environmental Product Decl.	EPD-EGE-20160028-CCA1-EN
	Cradle To Cradle Certified	Bronze certified
	ECOproduct	Approved
LEED	Qualified	

GUIDES

INSTALLATION + ADHESIVE GUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
CLEANING, STAIN REMOVAL	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

MANUFACTURER CHARACTERISTICS

FACTORY CERTIFICATION	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

Productdescription



All carpets are 100% Cradle to Cradle Certified™

We want to leave the right footprint and make sustainability available to everyone.

Cradle to Cradle helps us do exactly that and therefore all of our carpets are Cradle to Cradle Certified™.

With this product certificate, we prove to the world that we do our utmost to keep valuable materials in circulation, cut down on waste and harmful substances, take better care of our scarce resources, sustain the groundwater, reduce CO₂ emissions and ensure social fairness in our operations and value chain.

Ege Carpets is now the no. 1 brand globally in terms of achieving the highest ever number of certifications in under five years so we are now 100% certified.

Cradle to Cradle is the only choice

With our carpets, it is easier than ever before to choose sustainably. You can pick your very own favourite from thousands of colours, patterns, structures and qualities but you only get one option when it comes to sustainability.

Thus, all of our carpets are 100% Cradle to Cradle Certified™ which means that you can leave the people and planet care taking to us, while focusing your own attention on our great selection of designs.

Products from Ege Carpets:

- do not harm people and environment
- have been thoroughly investigated for material health issues
- are produced with renewable energy
- come from a company that works with water stewardship, CO₂ emissions and social fairness
- 100% Cradle to Cradle Certified™